

Stony Brook Orthopaedic Associates

14 Technology Drive, Suite 11

East Setauket, NY 11733

(631)444-4233/(631) 444-1496

HOME CARE INSTRUCTIONS KNEE ARTHROSCOPY/SURGERY James M. Paci, M.D.

1. Day of Surgery – Instructions Immediate Post-op:

- A. Relax. Diet as tolerated.
- B. Ice pack or machine to knee every hour while awake for twenty minutes, until block wears off, if you had one, then as tolerated.
- C. Pain medication as needed every 4-6 hours. It is helpful to take pain medication approximately one-half hour prior to exercise session. Start before your block wears off.
- D. Make sure that you have a Physical Therapy post-operative appointment preferably the day after surgery, but no later than the third post-operative day. Bring your script and protocol.
- E. Use crutches as directed prior to leaving hospital/surgery center.

2. First Post – Operative Day:

- A. Continue ice every one to two hours while awake, or at least twenty minutes prior to and after exercise session.
- B. Pain medication as needed.
- C. Exercise should be done to the best of your ability. Try to accomplish a little more each time you do them.
- D. You may remove your bandage from the surgical area and shower this evening. Cleanse arthroscopy sites with Dilute Peroxide or Betadine. Apply gauze to these wounds. DO NOT remove steri-strips from incision sites, these keep incisions closed and the stitches in place.
- E. You will need to keep your incision dry when taking a shower. Do this until sutures are removed. You can cover your incisions with a waterproof bandage (these can be purchased at your local pharmacy) when taking a shower.* Make sure you place a 2 x 2 gauze on the incision before placing the waterproof Band-Aid so the band-aid is not directly on the incision. Remove Band-Aids and pat dry after showering. DO NOT SUBMERGE YOUR INCISION SITE(S) IN A BATH OR POOL!!!!

3. Second Post – Operative Day Until Return Visit:

- A. Continue ice as needed.
- B. Continue daily shower/band-aid routine.
- C. Continue exercises. Call your physical therapist or Virginia at (631) 444-1496 if you have any questions about these exercises.
- D. Unless otherwise noted, you can bear as much weight on the affected leg as you can tolerate. Most patients use crutches 3 to 5 days, unless told otherwise. The amount of pain you experience should be your guide for discontinuing crutch use.
- E. If there is no brace on your leg, you may bend the knee as tolerated.
- F. If you have a brace or a splint on your leg, this must be worn for all walking activities. The brace may be removed for showering. It may also be removed for short periods of time while relaxing (while watching television, reading, etc.) as long as the leg is well supported. It should be worn for sleeping until told it is safe to be off for sleeping.

continued...

HOME CARE INSTRUCTIONS KNEE ARTHROSCOPY

James M. Paci, M.D.

continued.

For Return Appointments:

4. Please contact our office (631) 444-4233 for a return appointment approximately 10-14 days from surgery.
 - A. Your first return appointment will take place in Dr. Paci's office at 14 Technology Drive, Suite 11, East Setauket, NY 11733. You will see Dr. Paci and/or his PA at this visit.
 - B. Your surgical photos will be reviewed at this visit and any questions will be answered. Your sutures will be removed, if they have not been removed by your physical therapist.
5. If you have any problems or questions please call our office at (631) 444-1496 and ask for Virginia or Lisa during office hours 8:00 – 4:30. If you have a problem after hours, call the same number and the answering service will contact Dr. Paci or one of his partners.
6. Please call if you experience any of the following:
 - A. Excessive pain, not controlled by pain medication
 - B. Discomfort, swelling or redness in the calf (behind the leg, between the knee and ankle)
 - C. Temperature/Fever >101F or chills
 - D. Chest pain or shortness of breath
 - E. Excessive redness or discharge from or around the surgical site
7. It is our office policy that narcotic pain medications will not be refilled after hours. If you are running low on pain medication and need a refill prior to your scheduled appointment, please contact Virginia or Lisa and she will have Dr. Paci determine if a refill will be ordered.
8. Any activity that requires precise thinking and accuracy must be avoided for the first twelve hours after surgery and while taking pain medication, which includes operating machinery and/or driving a vehicle.

Special Note for Patients with Nerve Block:

1. Do not leave ice machine running for over 20 minutes while block is effective due to risk of frost bite.
2. Take pain medication prior to the block wearing off. Otherwise the pain will get ahead of you.